PYLE Audio

New Items
Gift Guide
2013

www.PyleAudio.com

PTBL9C Pyle Astro 9" Android Touch-Screen 3D Graphics Wi-Fi Tablet

Android 4.0 | Wifi Support | USB 2.0 Support | 3D Gaming Support | TF Card Slot | Built-in Microphone | Front & Rear Cameras

- Android 4.0 (Ice Cream Operating System)
- 1.2GHz Cortex A8 Processor Chip with 3D Graphic Acceleration
- (2) Built-in Cameras: .3 Megapixel Front & 2 Megapixel Back Cameras
- Multi-Touch Capacitive Screen with 4-Direction Gravity Sensing
- High-Speed Wireless Network: 802.11 b/g/n
- TF card Port (Supports up to 32GB)
- 8GB Storage Capacity
- Integrated Flash Player
- Multi Language Support
- 512MB DDR3 RAM
- Pixel Resolution: 800 x 480
- Compatible with the Latest Android Apps – Download & Install
- Up to 8-Hour Battery Life (4000mAh Battery)
- Headphone Jack & Side-Button Volume Control
- Comes with USB wall charger adapter ,USB charging cable
- Enjoy your favorite music, videos and pictures - File
- Compatibility: MP3, MP4, WMA, WAV, AVI, WMV, MOV, JPG, JPEG and much more

PWPBT60 Sound Box Splash Rugged and Waterproof Wireless Marine Grade Portable Bluetooth Speakers

SoundBox SPLASH

PWPBT60OR

PWPBT60WT

PWPBT60

PWPBT60BL

PWPBT60GN

- Marine-Grade waterproof & shock resistant design
- Works with virtually any Bluetooth enabled device
- (Smartphone, Tablet, PC, MP3 player, etc.)
- Built-in rechargeable battery
- Easy-push button controls
- Impressive bass output
- Battery Life: 6 Hours
- Battery: Lithium 1400mA
- Includes USB charging cable
- Battery Life Average: 6 Hours
- Metal hook loop for easy attachment to karabiner, chain, wire, etc.
- Dedicated full-ranged stereo speakers
- Effectively recreates Lows, Mids and Highs
- Frequency Response: 60 - 20,000Hz
- Impedance: 4 Ohm
- Dimensions (W x L x H): 2.5" x 8.3" x 2.7"

PSWP20BL Surf Sound Waterproof MP3 Player with Headphones for Swimming & Water Sports (Blue)

- Attachable MP3 Player with Button Controls
- 4-GB Memory Audio Storage
- High-Fidelity Sound Reproduction
- Supports MP3 and WMA Music Formats
- USB 2.0 Compatible for High-Speed File Transfer
- Waterproof Rating IPX-8 For Submersion Up To 1 Meter (3.3 Feet)
- Rechargeable Battery for up to 15 Hour Play Time
- Charge Time: 2.5 - 3 Hours
- Technical Specs:
- Lithium Battery: 180 mAh
- Signal-to-Noise Ratio: >70 dB
- MP3 Bite Rate: 8kbps ~ 320kbps
- WMA Bite Rate: 32kbps ~ 192kbps
- Frequency Response: 20Hz - 20kHz

4GB Waterproof MP3 Player/FM Radio with Pedometer, Lap Counter, Stop Watch, LCD Display - Includes Waterproof Headphones

PSWP25BK

PSWP25BL

PSWP25GR

- Measures Distance, Steps, Laps, Strokes Taken, Calories Burned
- Built-In Pedometer, Stop Watch, Swim Fitness Function Modes
- IPX-8 Waterproof Rating for Use in 3.3 Feet Water Depth
- 4 GB Music Storage Capacity USB 2.0 File Transfer Interface
- High-Fidelity Sound Reproduction
- Supports MP3 and WMA Music Formats
- ID Tag Readout on LCD Display
- Showing Song/Track Information
- Built-in Rechargeable Li-polymer Battery For up to 10 Hour Playing Time
- Includes Sets of Waterproof and Dry-Use Ear Bud Tips
- Stereo FM Frequency Range: 87.5MHz - 108MHz
- Safe Operating Temperature: -23° F – 104° F
- EQ Settings: Nature, Rock, Pop, Classic, Soft, Jazz
- Frequency Response: 20Hz - 20kHz

PSWP4 Waterproof Neckband Headphones with Built-in MP3 Player for Swimming & Water Sports

- 4-GB Memory Storage
- High-Fidelity Sound Reproduction
- Supports MP3 and WMA Music Formats
- USB 2.0 Compatible For High-Speed File Transfer
- Rechargeable Battery Provides Up To 10 Hours of Play
- Includes 6 Pairs of Earbuds (3 Sizes for Water & 3 for Land Use)
- Waterproof Rating IPX-8 For Submersion Up To 1 Meter (3.3 Feet)
- Distortion: Lithium Battery: 190 mAh
- Signal-to-Noise Ratio: >70 dB
- MP3 Bite Rate: 8kbps ~ 320kbps
- WMA Bite Rate: 32kbps ~ 192kbps
- Frequency Response: 20Hz-20KHz
- Earphone Output Power: 5mW + 5mW
- Operating Temperature: 41°F - 104°F (-5°C - 50°C)

PSWP4BK

PSWB4BL

PSWP4WT

Surf Sound Waterproof Headphones Compatible with iPods/MP3 Players, Smartphones, Tablets, etc.

PWP15

PWP20

PWP25

These waterproof headphones are perfect for listening to music while swimming in the pool. Designed for a custom and comfortable fit, headphones include 3 pairs of different sized earbuds to ensure proper performance and usability. It's IPX-7 rated, for submersion in the water up to 10 feet. They're also designed to work with your swimming goggles without interfering so you can listen to your favorite songs while doing laps and training. They're great for swimmers and music lovers alike. Visit Pyleaudio.com and search the model number to learn more!

PBTW20 Surf Sound Party Waterproof Wireless Bluetooth Stereo Speaker with Microphone for Music Streaming and Call Answering

- Bluetooth V2.1 + EDR A2DP, AVRCP
- Enjoy Hands-Free Calls with Built-in Microphone
- Compatible with Bluetooth-Enabled devices (smartphones, tablets, PCs etc.)
- Connect and Stream Audio from MP3 Players, smartphones, tablets etc.
- 10 Meter Maximum Distance Bluetooth Streaming Range
- Connector: 3.5mm AUX-in function optional
- IP-47 Waterproof & Dustproof Construction
- Stereo Speaker Sound & Boom Bass Output
- Battery Life Provides Up to 15 Hour Playing Time
- Control Volume & Song Selection Wirelessly
- Optional Power: DC 5V Cable Optional
- Bluetooth V2.1 + EDR, A2DP, AVRCP
- Glossy UV Surface Treatment Finish
- Fold-Out Stand and Carry Handle
- Powered by 4 x 'AA' Batteries (not included)
- Dimensions: 7.8'' L x 1.8'' W x 3.5'' H

PBTW20WT

PBTW20BK

PBTW20BL

PBTWP24 Surf Sound Talk 2-in-1 Waterproof Bluetooth Speaker & Handset For Music Streaming and Call Answering

- Bluetooth V2.1 + EDR A2DP, AVRCP
- 2 Telephone Modes: Handset & Speaker
- IP-47 Waterproof & Dustproof Construction
- Enjoy Hands-Free Calls with Built-in Microphone
- 10 Meter Maximum Distance Bluetooth Streaming Range
- Compatible with Bluetooth-Enabled Devices (Smartphones, Tablets, PCs etc.)
- Connect and Stream Audio from MP3 Players, Smartphones, Tablets etc.
- Built-in Li-Polymer Rechargeable Battery with Low Voltage Reminder Light
- Control Volume & Song Selection Wirelessly via Connected Device
- Attach or Hang Device Using the Convenient Hook
- Speaker Impedance (Output): 4-Ohm / 2 Watt
- Glossy UV Surface Treatment Finish
- Register up to 8 Bluetooth Devices
- Battery Life: 8 hours
- Includes USB Charging Cable
- Battery Capacity: 3.7V / 800mAh
- Continuous Standby Time: 180 Hours
- Battery Charging Time: 1.5 Hours
- Dimensions: 2.55'' (W) x .6'' (H) x 1.5'' (D)

PBTWP24BK

PBTWP24BL

PBTWP24WT

PWPS63 Surf Sound Play Universal Waterproof Speaker and Case - Works with iPod, iPhone4 & iPhone5 - Compatble with other MP3 Players & Smartphones

- Waterproof, Portable and Protective Case with Built-in Speaker
- Insert your Device and Play Videos and Music
- IP-47 Grade Waterproof & Dustproof Construction
- Enjoy Full Functionality of your Device While is Inside
- Engineered Clear Plastic is Responsive and Allows Touchscreen Use
- 3.5mm Jack Compatible with Smartphones and MP3 Players
- Works with the Latest Smartphones like the Galaxy S, Sony Xperia S
- HTC One XL, Nokia Lumina 900, all iPhones, and more!
- Requires 3 x AAA Batteries (not included)
- Glossy UV Surface Treatment Finish
- Stereo Speaker Sound
- Dimensions: 3.85'' (W) x 7.95'' (H) x 1.37'' (D)
- Fits Devices up to: 2.77'' (W) x 5.37'' (H) x 0.46'' (D)

PWPS63BK

PWPS63BL

PWPS63WT

PSCHD30 High-Definition Sport Action Camera with 720p Wide-Angle Camcorder, 5.0 MP Camera, 2-Inch Touch Screen, Micro SD Card Slot, Waterproof Case and Mounting Accessories

Models: PSCHD30BK, PSCHD30BL, PSCHD30OR, PSCHD30PN, PSCHD30RD, PSCHD30SL, PSCHD30WT

- Mini HD Camcorder for Image and/or Video Recording
- 2 Inch Touch Screen For Video Playback and Settings Configuration
- Easy Uploading and Sharing via PC
- Built-in Rechargeable Battery
- Micro SD Memory Card Slot
- 4 X Digital Zoom
- High-Speed USB 2.0 Interface
- 3 Modes: Picture, Video and Vehicle
- 3 Image Capture Modes: 5.0 MP, 3.0 MP, 1.3 MP
- Image Resolutions: (2592 x 1944), (2048 x 1536), (1280 x 960)
- Captures Images in JPEG (.jpeg) Format
- 2 Video Capture Modes: 720p & VGA
- Video Capture Resolutions: (1280 x 720) & (640 x 480)
- Records Sound and Captures Video in AVI (.avi) Format
- Includes Waterproof/Shockproof Case
- Mounts Included: Suction Cup (Cars or Boats), Handlebar (Bike, Motorcycle), Helmet, Waist Harness, Shield & Car Charger
- Camera Dimensions (L x W x H): 2.59'' x 1.77'' x 0.98''

PHBT35 Stereo Bluetooth Streaming Wireless Headphones with Built-in Microphone - Works with All Bluetooth-Enabled Phones & Devices

- Built-in Bluetooth technology you can stream audio directly from your Bluetooth enabled device
- Works with iPhone, Blackberry, Droid, iPads, Tablets and more
- Take Calls with Built-in Microphone
- Talk Time: Up to 7 hours
- Standby time: Up to 180 hours
- Frequency: 2400.0 - 2483.5MHZ
- Music Playing Time: Up to 6 hours
- Noise-Canceling Stereo Sound Drivers
- Built-in Version 3.0 Bluetooth technology
- Listen to your favorite music from Bluetooth-enabled devices
- Unlock more possibilities - Can be paired with 2 mobile phones
- Bluetooth Profiles Supported: Headset, Hands-Free, A2DP & AVRCP
- Average Charging Time: Up to 6 hours
- Dimensions (unfolded): 7.6" (L) × 6.5" (W) × 2.7" (H)
- Dimensions (folded): 7.6" (L) × 6.5" (W) × 1.5" (H)

PHBT5 Stereo Bluetooth Streaming Wireless Headphones with Built-in Microphone - Works with All Bluetooth-Enabled Phones & Devices

Models: PHBT5B, PHBT5G, PHBT5O, PHBT5P, PHBT5R, PHBT5S

- Bluetooth profiles supported: headset, hands-free, A2DP & AVRCP
- With built-in Bluetooth technology you can stream audio directly from your Bluetooth enabled device with crystal clear wireless performance --
- Works with iPhone, Blackberry, Droid, iPads, Tablets and much more!
- Take Calls with Built-in Microphone
- Noise-canceling stereo sound drivers
- Built-in Version 3.0 Bluetooth technology
- Listen to your favorite music from Bluetooth-enabled devices
- Unlock more possibilities - Can be paired with 2 mobile phones
- Talk Time: Up to 10 hours
- Standby time: Up to 180 hours
- Frequency: 2400.0 - 2483.5MHZ
- Average Charging Time: 2-3 hours
- Music Playing Time: Up to 8 hours
- Dimensions: 5.9'' (L) × 4.3'' (W) × 2.95'' (H)

PHIBT85BK 2.1 Channel Bluetooth Tower Speaker System with USB/SD Card Readers, MP3/AUX Input & FM Radio

- Bluetooth 2.0 (A2DPV Support)
- Play And Stream Your Music From Any Bluetooth Device
- RCA L/R Audio-In Jacks for Stereo Connections (2 Pairs)
- 3.5mm Aux-In Jack for MP3 Player/Smartphone Connection
- USB Flash & SD Card Readers for Audio Playback
- 2 x 60W Output + 120W Subwoofer
- EQ Audio Settings Adjustments
- Tune FM Radio with 20 Presets
- LCD Control Panel Display
- Remote Control Included
- Power: AC-110V

Bluetooth®



PHBT98PBK Bluetooth 600 Watt 2.1 Channel Digital Home Theater Tower with iPod, iPad, iPhone Docking Station, FM Radio & Alarm Clock

Works with iPod/iPad/iPhone

Bluetooth®

- 30-Pin Docking Station for iPod, iPhone, iPad
- Built-in Bluetooth Enabled Compatibility
- Connect External Devices via AUX Input
- Built-in FM Radio with Integrated Memory
- Alarm Clock Control and Time Display
- 2.1 Channel Digital Amplifier
- Fully Functional Remote Control
- Independent Control of Each Channel
- iPod Can be Controlled with Remote Control
- Docking Station Charges Your Device Automatically
- Touch Key Control Console with LCD Display
- Output Power: 600 Watts
- Frequency: L, R 150Hz-20kHz, Subwoofer 50Hz-180Hz
- Mid Range Drier: Dual 3.5 Inch
- Tweeter: Dual 3.5 inch
- Subwoofer: 8 inch
- S/N: 85Db
- THD: 0.1%
- Real 2.1 Channel Output
- Power: DC 21 Volts w / 110V Adapter
- L (150 Watts X 1) R(150 Watts X 1) Subwoofer (300Watts X1)
- Dimensions: 15.2"W x 11.4 D x 41.75 H

PBTR30 Bluetooth Receiver Adapter with Streaming Audio and Built-in Microphone for Call Answering, 3.5mm Jack, and Rechargeable Battery

- Connect to any Stereo or Speaker System with 3.5mm Jack to Enable Bluetooth Audio Streaming
- Play and Control Music Wirelessly from Your iPod/ MP3 Player, iPhone/Smartphone, iPad etc.
- Works with Headphones, Home Theater System, Car Stereos etc.
- Can be Controlled with All Bluetooth Enabled Devices
- Built-in Mic for Hands-Free Calls
- Excellent Wireless Signal Range
- Supports A2DP Stereo Bluetooth For
- Superior Music Quality
- Charging Jack: Mini USB (DC 5V)
- Built-In Rechargeable Battery
- AUX 3.5mm Cable (Included)
- LED Indicator Light
- **Technical Specs**
- Bluetooth Version: Bluetooth V3.0
- Working Range Up To: 35 Feet
- Standby Time: 144-192 Hours
- Working Time: 6 - 8 Hours
- Charging Time: 1-2 Hours
- Dimension: 2.12" x .98" x .43"
- Weight: 8g

PBTR60 Wireless Bluetooth 30-Pin iPod Docking Receiver Adapter and Call Answering Built-in Microphone, 3.5mm Jack and Rechargeable Battery

- Connect to Any 30-Pin Apple Dock to Enable Wireless Audio Streaming
- Play and Control Music Wirelessly from Your iPod/ MP3 Player, iPhone/Smartphone, iPad etc.
- AUX Jack Allows Connection to Car Stereos, Headphones, Amplifiers, Home Theater Systems, etc.
- Can be Controlled with All Bluetooth Enabled Devices
- Connects to All 30-Pin iPhone, iPod, iPad Docking/Audio Systems
- Built-in Mic for Hands-Free Calls
- Excellent Wireless Signal Range
- Supports A2DP Stereo Bluetooth for Superior Music Quality
- Ability to Pair with 2 Mobile/Smartphones at the Same Time
- Built-In Rechargeable Battery
- AUX 3.5mm Cable (Included)
- 3.5mm AUX Line Out Jack
- LED Indicator Light

Technical Specs

- Bluetooth Version: Bluetooth V3.0
- Working Range Up To: 35 Feet
- Standby Time: 144-192 Hours
- Working Time: 6 - 8 Hours
- Charging Time: 1-2 Hours
- Dimension: 2.12" x .98" x .43"
- Weight: 8g



PLBACS Bluetooth Music Streaming Digital Alarm Clock and Receiver System with FM Radio, Wireless Streaming Audio, 30-Pin iPod Dock & LCD Display

- **Clock Radio Specifications:**
- White Digit LCD Display - PLL Digital Tuning System
- FM PLL Stereo Radio - 20 preset stations memory
- Electric Volume +/- Control - 12/24 hour Clock Display
- Dual Alarm Wake To FM/Buzzer/iPod/iPhone
- Apple 30 Pin Connector - 2.25" Full Range Speaker
- Clock Back Up Battery 1 x CR2025 (Battery Included)
- 120 Minute Sleep Mode/ Snooze 9 Minute with level Dimmer
- 3.5mm AUX-IN Jack
- AC/DC Adaptor 100~240V (12V1.5A)
- Dimensions: 5.51"L x 7.40"H x 3.44"W
- Compatible with:
- iPhone(3G/3GS/4G/4GS)
- iTouch(2Gen/3Gen/4Gen)
- Nano(1Gen/2Gen/3Gen/4Gen/5Gen/6Gen)

- **Bluetooth Receiver Specifications:**
- Easily add Bluetooth wireless streaming to your speakers, stereo system or docking station
- Works with and enables Bluetooth for devices like iPads, iPods, iPhones, Androids, Blackberry, PCs, Video game consoles, Bluetooth Cell Phones & much more
- Extends the range from which you can play music via Bluetooth connection
- 3.5mm/1/8" Aux input allows connection of additional devices
- Connects to Apple 30 Pin Docks
- 3 Level LED illumination to confirm visual Bluetooth Interface(Red/Blue/Flashing Blue)
- Control your music wirelessly throughout your home
- Bluetooth Signal Range: 10 meters (33 feet)
- Unit Dimensions: 2.15"H x 2.15"W x 0.45"D

PHE5A Bass Boosting Portable Headphone Amplifiers



PHE5AS PHE5AB

Accessories Included

- Designed for High Impedance and Low Sensitivity Headphones
- Easy to Carry and Use In The Outdoors
- Increases Your Headphone's Bass & Sound
- New Amplifier IC with Higher S/N and Lower Distortion
- Portable Headphone Amp for iPod, MP3 Player, Laptop or Mobile Phone
- Boost Volume and Reduce Battery Drain of Portable Players
- Built-In Rechargeable Battery (Charged Via USB)
- Robust Metal Casing For Everyday Use
- Ultra Low Signal to Noise and Distortion Specification

Bluetooth 2-Way Speaker Systems with Remote Control

PPHP837UB
8" 600 Watt

- 8" Woofer Compression
- Bluetooth Streaming Music Function For Most Smart Phones
- Driver with 1" Titanium Diaphragm
- 6.25mm Mic Inputs
- RCA Line input
- 6.35mm Line output
- Master Volume, Mic Level
- 3.5mm Aux-in Compatible with All Digital Music Players Including Iphone Samsung
- Play your Music via USB Flash Drive
- ControlSensitivity : 94dB
- Frequency: 45HZ-20KHZ
- Voice coil: 38mm,1.5inch
- Magnet : 30oz,120mm
- Impendance: 8 Ohm
- Sensitivity: 110db/m.w
- Frequency Range: 600HZ-20KHZ
- Diaphragm material: Titanium
- Frequency responese : 30-22KhzPower Output: 300 Watts RMS, 600 Watts Peak
- Crossover Frequency : 2.2Khz
- Integrated 35mm Speaker stand Mount Carrying Handle for Easy Transport
- Dimensions: 11.8"W X 9.8"D X 17.3"H

PPHP1037UB
10" 700 Watt

- 10" Woofer
- Bluetooth Streaming Music Function
- Compression Driver w/ 1" Titanium Diaphragm
- Full Featured 3 Channel Mixer
- XLR and 1/4" Mic Inputs
- RCA Line input
- XLR and 1/4"Line Output
- Master Volume, Treble, and Bass Controls
- 3.5mm Aux-In Compatible With All Digital
- Music Players, Including iPhone
- Record Your Music to a USB SD card
- Play Your Music Threw a USB SD Flash Drive
- With Remote Control
- Sensitivity : 98db
- Frenquency : 46HZ-3KHZ
- Voice coil : 50mm,2inch
- Magnet : 40oz.134mm
- Impendance :8ohm
- Sensitivity : 110db/m.w
- Frequency Range : 600Hz-20Khz
- Diaphragm matrial : Titanium
- Frequency responese: 30-22Khz
- Power output : 350watt RMS, 700Watt peak
- Crossover Frequency : 2.2Khz
- 110/220 voltage selectable
- Integrated 35mm Speaker Stand Mount
- Carrying wheels and handle
- Dimensions: 14.1"W X 11.4"D X21.2"H

PPHP1237UB
12" 900 Watt

- 12" Woofer
- Full Featured 3 Channel Mixer
- XLR and 1/4" Mic Inputs
- XLR and Stereo RCA Line input
- XLR and 1/4" Line Output
- Master Volume, Treble, and Bass Controls
- 3.5mm Aux-In Compatible With All Digital Music Players, Including iPhone
- Bluetooth Streaming Music Function
- Record Your Music to a USB SD Flash Drive
- Play your Music Threw a USB SD Flash Card
- With Remote Control
- Sensitivity : 98db
- Frenquency : 46HZ-3KHZ
- Voice coil :2.5inch
- Magnet : 50oz.156mm
- Impendance : 8ohm
- Sensitivity : 110db/m.w
- Frequency Range : 600Hz-20Khz
- Diaphragm matrial : Titanium
- Voice coil : Kapton 34.4mm(1.4inch)
- Frequency responese: 30-22Khz
- Power output : 450watts RMS, 900 Watt peak
- Crossover Frequency : 2.2Khz
- 110/220 voltage selectable
- Carrying wheels and handle
- Dimensions: 16.5"W X 13.7"D X 25.1"H

PPHP1537UB
15" 1200 Watt

- 15" Woofer
- Bluetooth Streaming Music Function
- Compression Driver with 1.75" Titanium Diaphragm
- Full Featured 3 Channel Mixer
- XLR and 1/4" Mic Inputs
- XLR and Stereo RCA Line input
- XLR and 1/4"Line Output
- Master Volume, Treble, and Bass Controls
- 3.5mm Aux-In Compatible With All Digital Music Players, Including iPhone
- Record Your Music to a USB SD Flash Card
- Play your Music Threw a USB SD Flash Card
- With Remote Control
- Sensitivity : 98db
- Frenquency : 46HZ-3KHZ
- Voice coil : 75mm,3inch
- Magnet : 60oz.170mm
- Impendance :8ohm
- Sensitivity : 110db/m.w
- Frequency Range : 600Hz-20Khz
- Diaphragm matrial : Titanium
- Voice coil : Kapton 44.4mm(1.75inch)
- Frequency responese: 30-22Khz
- Power output : 600watts RMS, 1200Watts peak
- Crossover Frequency : 2.2Khz
- 110/220 voltage selectable
- Carrying wheels and handle
- Dimensions: 19"W X 15.7"D X29.1"H

PGSPW5 GPS Navigation Sporting Unit with Built-in MP3 Player, Pedometer, Speedometer, Altimeter, Barometer, Compass, Weather Forecasting, LCD TouchScreen Display Flash Memory

- 2.2" Digital LCD TouchScreen Display
- Supports Google Maps and Google Earth
- Trip Features and Info. Include GPS tracking, Odometer, Weather Prediction and More!
- Functions Measured: Distance, Speed, Elapsed Time, Altitude, Calories Burned, Average Speed, Air Pressure and More!
- Guided By Preloaded Route Plan, Multi-Point Destination, Multi-Path Navigation
- 4 GB Flash Memory - 3D E Compass
- IPX-7 Waterproof Rating
- Fishing Evaluation Function
- MP3 And MP4 Playback Supported
- ANT+™ 2.4GHz Rx +Wireless Communication Protocol
- USB 2.0 Interface (High Speed) Data Transfer Connection
- GPS Destination Accuracy Within 10 Meters In Normal GPS Mode
- 1600 mad Li-Polymer Battery for 8 -10 Hours Continuous Tracking
- Windows XP, Vista, 7 Operating Systems Supported
- Non-Stop Track Recording for at Least 100 km.
- Operating Temperature 14° F - 113° F
- Track File Format: KML, GPX, RTE
- Display Resolution: 320 x 320
- Multiple Language Support

Premier Series Professional UHF Wireless Handheld Microphone & Handheld Transmitter Systems

PDWM3450

PDWM1800

PDWM1902

PDWM1904

PDWM3375

PDWM3400

The Pyle **PREMIER** Series Wireless Microphone System will provide you with the performance you've been looking for. Whether used for work or play, this cordless microphone system is easy to setup, easy to use, and best of all, will give you an amazing high-quality audio experience. Enjoy hassle-free and reliable wireless sound transmission with today's latest system technology with this all-in-one package. Excellent sound production for vocals or speech and perfect for just about any event on stage, in the office or even at home. Comes with everything you need to perform. No matter what you use it for, the Pyle **PREMIER** Series Wireless Microphone System will take your sound and style to the next level. Search the model number on pyleaudio.com to learn more!

PMP37LED Professional Megaphone / Bullhorn with Siren & LED Lights

- Power: 30 Watts
- 800 Yard Range
- LED Lights & LED Light Mode Function
- Used By U.S. Army, Navy, Air Force And Marines
- For Indoor/Outdoor Use
- Variable Volume Control
- Tough Housing
- Built-In Siren
- Uses 4 X D Batteries (Not Included)
- Dimensions: Diameter 6.25" X Length 10"

PMP20 Compact Megaphone / Bullhorn with 20 Watt Power

- Used by U.S. Armed Forces
- For Indoor/Outdoor - 1/4 Mile Range
- Maximum Power Output: 20 Watt
- 2 Audio Functions: Voice & Siren Modes
- Voice Mode: Amplifies your voice as spoken into the microphone
- Siren Mode: Amplifies an alert/siren tone through the megaphone speaker
- Ergonomic Pistol Grip and Light-Weight Chassis
- Battery Power: 4 x "C" Type Batteries (1.5V), Not Included
- Dimensions: Diameter 5.4" x Length 8.6"

The Disco Jam Stereo Speaker Systems were made to pump up the party. Play your favorite tracks as loud as you want and with style. Disco Jam speakers feature impressive high-power output and flashing DJ lights that will add life to any occasion. Use them at home, on stage or in the auditorium. They're perfect for any get together and will make you feel like a true DJ. Get the party going with the Disco Jam Speaker Systems. Search 'Disco Jam' on PyleAudio.com to learn more!

Dual 2-Way PA Speaker System w/ USB/SD Readers, FM Radio, 3.5mm AUX Input & DJ Flashing Lights

PSUFM625
600 Watt

- Dual Speakers (One Active, One Passive) Woofer and 3" Piezo Tweeter
- Heavy Duty Handles For Easy Portability
- Full Featured 3 Channel Mixer
- Two ¼" Microphone Inputs
- One 3.5mm AUX Line Input With Cable (Compatible With All Mp3 Players And Devices With Headphone Outputs)
- RCA Stereo Input And Output
- USB/SD Flash and Card Readers with Built-In FM Radio
- USB Provides 5V Charge For Smart Phones and Other Devices

PSUFM6835A
800 Watt

- Display Screen Shows Number of Songs and Play Time And FM Radio Frequenc
- Master Volume Controller
- Ported Enclosure For Added Bass Response
- 35mm Speaker Stand Mount
- Crossover Frequency: 3.5kHz
- Woofer Magnet Weight: 8 oz.
- Sensitivity (1W/1M): 90dB
- Built In Crossover Network
- Frequency Response: 20Hz-20Khz
- Crossover Frequency: 3.5kHz
- 35mm Speaker Stand Mount
- AC 110/220V Power Switch

PSUFM1245A

PSUFM1035A

PSUFM1049A

PWMA850UFM

Select Pyle Disco Jam Stereo Speaker System features include cross compatibility, individual use as active or passive speakers to connect to your current system, SD card readers, AUX input, USB charging ports, flashing DJ lights. Find specifications and learn more about Disco Jam Speaker Systems on PyleAudio.com.

SD Card

AUX IN

USB Charging

Bluetooth Music Streaming Portable Loudspeaker System - Built-in Rechargeable Battery, 2 Wireless Microphones, FM Radio, LCD Readout, USB & SD Card Readers

PPHP129WMU 12" 1000 Watt

PPHP159WMU 15" 1600 Watt

*Accessories Included

Bluetooth®

- Bluetooth Capibility For Music Streaming
- 2 Wireless Microphones Included
- LCD Readout Display
- Carrying Wheels For easy Transport
- Microphone/Guitar Inputs
- USB & SD Card Slot Readers
- 1/4" Mic/Guitar Input & 1/4" Mic Input
- RCA Line Input & Line Output
- Frequency Response: 55-18k HZ
- Remote Control Included
- Tweeter: 34mm Driver: 8 Ohm
- Wired Microphone Compatible
- 35mm Speaker Stand Mount
- Built-in Rechargeable Battery with 4 Hour Battery Life
- 110-220 Volt Switchable - 12 Volt Inlet for Car / RV Use

Bluetooth Mini Speaker with Hands-Free Call Answering & Music Streaming, AUX-In, 8 Hour Playback

PBS2BK Black

PBS2SL Silver

- Built-in Bluetooth Technology
- Enjoy Call Answering, Hands-Free Talking or Stream Music
- Compatible with all Bluetooth-Enabled Devices
- Works with iPhone, iPad, Android, BlackBerry, MP3 Players, Tablets, etc.
- Connect to Virtually Any Audio Device via AUX 3.5mm Input
- Integrated Stereo Sound with Rich Bass Response
- Includes USB Charging Cable
- Rechargeable Lithium-Ion Battery
- Battery Life: 8 Hours
- Control Song Selection and Volume Wirelessly
- Durable Aluminum Alloy Body
- Dimensions (H x W x D): 2.4" x 2.4" x 2.3"

Bluetooth®

PVC10ABT Bluetooth Enabled In-Wall Streaming Music Amplifier with iPod/MP3 Player Input, USB/SD Card Readers, LCD Display and Remote Control

- Bluetooth-compatible device wirelessly streams and directs audio
- Control and broadcast music over connected speaker system
- Broadcasts music to any connected rooms
- 3.5mm AUX IN jack for iPod/MP3 player compatibility
- Mounts in-wall for convenient operation
- LCD screen displays ID track info
- Easy-to-read front control panel
- Includes wireless remote control
- USB and SD card readers - Includes electrical box

Technical Specs:

- Class-D Amplifier - Max Power: 75 Watt
- Rated Power: 5W - 15W - 20W
- Operating Voltage: AC 110V – 50Hz
- Frequency Response: 20Hz – 20kHz
- Output Impedance: 4 Ohms
- Infrared Distance: THD: 0.03%
- Dimensions (W x H): 2.7" x 4.5"
- Cut-Out Dimensions (W x H x D) (Electrical Box): 2.625" x 4" x 2"

PSLIC90 Waterproof Universal Sport Case With Multi-Purpose Clamp for iPad & Tablets

- IPX-7 Waterproof StandardCan Withstand Submersion In Water Up To 1 Meters / 3.3 Feet For 30 Mins
- Included Clamp Lets You Secure Your Device To Your Sailboat Or In An Industrial Setting
- Multitouch Control Of Your Device Works Through The Plastic Cover
- 3.5mm Audio Jack Headphone Output
- Clear Rear Transluscent Cover For Camera Operation
- Sounds Emits Through Case
- Compatibility: iPad 1, 2, 3, Other Tablet & eBook Readers
- Clamping Unit Diameter: 18 - 26 mm
- Clamp Has Easy Release Button & Angle Adjustment

PVTT2U Retro Belt-Drive Turntable With USB-to-PC Connection, Rechargeable Battery

PVTT2UWD

- 3 Speed Turntable: 33, 45, 78 RPM
- Ceramic Stereo Cartridge
- 45 RPM Adapter
- Two Built-in Stereo Anti-Magnetic Speakers
- USB Port For Connection to PC - Convert Vinyl to MP3
- Stereo RCA Output
- Rechargeable Battery
- Free Audacity Software Included For Vinyl-to-MP3
- Dimensions: 10.63" x 13.78" x 4.33"

PVTT2UBK

PVTT2UGR

PVTT2UOR

PTR8UR Retro-Style Turntable - Plays Radio, MP3s via USB & SD Memory with Vinyl-to-MP3 Encoding (Red)

- AM/FM Radio
- RCA Line Out
- 3" Built-in Speakers
- X-Bass Control System
- USB & SD Memory Slots
- 45 RPM Adaptor Included
- Power Source: AC 110/220V
- Illuminated Front Dial Display
- LCD Display with Blue Backlight
- Vinyl to MP3 Recording Function
- Radio Dial Scale with Amber Backlight
- Wireless Remote Control Playback Configuration
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records
- Dimensions: 15.98" (W) x 13.62" (D) x 8.66" (H)

PSWWM82 Digital Multifunction Active Sports Watch with Altimeter, Barometer, Chronograph, Compass, Count-Down Timer, Measuring & Weather Forecast Modes

PSWWM82BK

PSWWM82GN

PSWWM82PN

PSWWM82YL

- Dual-time function
- Key tones and hourly chimes
- 12-hour or 24-hour time format options
- Power saving and low battery detection
- Built-in pre-programmed digital calendar
- Electro Luminescent (EL) backlight display
- Graphical display for altitude tendency and sea level pressure
- Displays: time, month, day, hour, minute, second and day of week
- Measuring Range: -706 to +9164 meter / -2316 to 30065 feet
- Temperature Range: -10 ~ +60 °C / 14 ~ +140°F
- Temperature Measurement Unit: °C or °F
- Shows max/min altitude, max/min temperature, accumulated altitude ascent/descent
- Internal Memory: 34 hour history data recall for altitude, temperature, sea level pressure & temperature changes

Special Modes & Functions:

- Dual Daily Alarm – Signals 2 daily alarms
- Altimeter Mode – Measures altitude levels
- Barometer Mode – Measures atmospheric air pressure
- Compass Mode – Perfect for travel and location orientation
- Count-Down Timer – Time sequence counts down backwards
- Measuring Mode – Recall memory and total time once activated
- Weather Forecast: 4 symbols to indicate the predicated weather
- Chronograph Mode – Stop watch and time keeping with the ability to start, stop and reset

Infrared Wireless Listening Systems with Power Charging Docking Stations

Transmitter

- Noise Reduction Circuitry To Reduce Background Noise
- Low Pass Filter To Reduce High Frequencies
- Limiter Circuitry To Eliminate Peaks In The Signal
- Powerful IR Transmitter
- Lithium-Ion Charge & Auto Switch-Off Function

Receiver

- High S/N, Noise Reduction Function (=70dB)
- Balance Adjustment & Tone Adjustment
- Normal Hearing Aid Function
- Wired Headphone With Hearing Aid
- Built-In Lithium-Ion Battery Design

PHPHA56 Single

PHPHA66 Pair

Mobile Audio

Visit PyleAudio.com for more models, detailed information and availability

6.5” Bluetooth Touch Screen Receiver

PLDN66U

- 6.5 ‘’ 16:9 Wide Screen TFT LCD Display
- Touch Screen Control Operation
- With Built-in Bluetooth Technology you can stream audio directly from your hand-held Bluetooth enabled device with crystal clear wireless performance (iPhone, Droid, Blackberry, iPads, Tablets, etc.)
- Picture Control: Brightness/Contrast/Hue/Chrome
- USB Flash/SD Card Readers
- MP4, JPEG, MP3, WMA File Format Playback
- Treble/Bass/Balance/Fader/Volume Controls
- Repeat/Program/Random/Intro Play Controls
- AM/FM Stereo Receiver
- Electronic Anti-Shock
- AUX Rear and A/V Input
- Auto Memory Store/Preset Scan
- Support DVD/VCD/CD/CD-R/CD-RW/MP3
- Parking Video Output
- Double-DIN
- 30 Preset Stations Memory
- 320 Watts Total Output (4 x 80 Watts)
- Bluetooth Function Auto Muting Feature Hands Free Talking Capabilities
- 4-Channel RCA Preamp Output plus Subwoofer Output
- Full Function Remote Control
- Includes 30-Pin iPod Connection Cable

Bluetooth®

visit us:
facebook.com/pyle.audiousa

7” Bluetooth GPS Maps Touch Screen Receiver

PLDV77U

- Touch Screen Control Operations
- With Built-in Bluetooth Technology you can stream audio and take calls directly from your hand-held Bluetooth enabled device with crystal clear wireless performance
- Bluetooth Functions: Auto Muting & Hands Free Talking Capability
- Voice Guidance Helps You Keep Your Eyes on the Road
- 4G SD Card with USA/Canada/Mexico Maps
- Text to Speech &Turn by Turn Voice Prompts
- TFT LCD Display
- Selectable USA/Europe Radio Frequency
- 30 Station Memory (18 FM/12 AM)
- PAL/NTSC Color System
- LD/DX & ST/MD Selector
- Full Function Wireless Remote Control
- Rear Camera Output, Parking Video Input
- File Compatibility: MP4, JPEG, MP3, WMA and More
- Last Position Memory
- iPod Connection Cable Included
- Repeat/Intro/Random/Clock Function/Mute Control
- 4 Channel RCA Preamp Output/Subwoofer Output
- Picture Control: Brightness/Contrast/Hue/Chrome
- Treble/Bass/Balance/Fader/Volume/Control
- PLL Synthesizer Tuner
- Auto Store/Preset Scan
- AM/FM-MPX 2 Band Radio
- Selectable View Angle
- A/V Input & A/V Output
- 320 Watts (4 x 80W)
- Preset EQ
- Unit Dimensions: 7.24” D x 7.01” W x 3.94” H

GPS

In-Dash Receiver w/ MP3 Playback, AM/FM-MPX Radio, CD Player & USB/SD/AUX Inputs

PLCD41MU

- AM/FM-MPX PLL Tuning Car Radio
- Dot Matrix White LCD Display
- MP3 ID3 Tag Digital Readout Compatible
- USB Slot and SD/MMC Card Port for MP3/WMA Music Files Playback
- Encoding Volume, Balance, Bass, Treble & Fader Control
- 30 Radio Preset Station Memory 18FM-12AM
- Front Auxiliary Input Jack

PLCD51BT

*with Bluetooth

- Stereo RCA Line Out JAck
- Full Function Remote Control
- Blue Button Illumination Controls
- Seek/Scan Function
- AM Frequency Range: 530-1710 Khz
- FM Frequency Range:87.5-107.9 Mhz
- RDS-EON
- ISO Connector
- 4 x 60 Watts Maximum Power Output
- Dimensions: 7.5’’ W x 7.2’’D x 2.2’’H

Marine Grade Waterproof IPX7 7” LCD Wide-Screen Monitor with Anti-Glare Shield & Universal Stand

PLMRM72B
Black

PLMRM71W
White

- 7” High Resolution Color TFT/LCD Monitor
- IPX-7 Waterproof Protection for Up To 3.3 Feet Deep
- Soft Touch Control Button Layout
- 3 Source Selectable RCA Video Input
- Individual Source DC Triggered Activation
- Marine Grade Water Resistant Housing
- Intergraded Anti Glare Visor Designed For Maximum Visibility
- Universal ‘‘U’’ Shaped Stand with Rotatable
- Angle Adjustment & Position Tensioner
- PAL/NTSC Automatic Compatible
- Resolution: 800 x 400
- OSD Menu Control (Color, Contrast, & Brightness)
- Full Function Wireless IR Remote Control Included
- Power Source DC 12-24 Volt Compatible
- Monitor Dimension:4.76”H x 7.08”W x 0.91”D
- Monitor & Visor Dimension:5.53”H x 7.51”W x 5.19”D

Dual Subwoofer Hatchback Speaker Enclosure Systems

- Two 10” High Power 4 Ohm Subwoofer
- Non-Press Paper Cone with Rubber Edge
- Specially Treated Black Rubber Edge Suspension
- 2” Aluminum Voice Coil
- Two 2” x 5” Piezo Tweeters
- Vented Design
- Two Handles for Easy Portability
- 800 Watts Max Power Handling
- Frequency Response: 25Hz-20k Hz
- 2 Tuned Ports
- Dimensions: 14.25”H x 32.5”W x 14.25”D

PLHB8
8” Woofers

PLHB10
10” Woofers

PLHB12
12” Woofers

PLMCA62BT 600 Watt Bluetooth Sound System for Motorcycle/ATV/Snowmobile with Weatherproof Speakers, Amplifier, 3.5mm Input for iPod/MP3 Players, Dual Handle-Bar Mount and USB Charger

- 300 Watts x 2 Channel Micro Amplifier with wire harness
- Dual chrome aluminum bullet style 2.25” speakers
- Pair of clamps
- Universal handlebar mount rotary volume control
- Chrome Stainless Universal handlebar audio mount
- 12 Volt T-TAP
- USB charger & Satellite 5V plug
- Easy Chrome Stainless Mounting Brackets and Accessories included
- Environment resistance and water proof Bluetooth and in-line volume control console with 3.5mm Stereo Input Jack, Easy Connection to the Output of Other Audio Devices
- Works with iPhone/Smartphones, iPod/MP3 Players, Cell Phones, etc.
- Bluetooth 3.0 technology
- Bluetooth auto connected while power on
- Bluetooth auto disconnected while Aux-in (3.5mm connector)
- Bluetooth console Dimension : 1.65”(W) x 0.87”(H) x 2.36”(L)
- Easy and quick installed handle-bar mount bracket is included
- Speaker Dimensions : 2.5”(W) x 2.5”(H) x 3”(L)
- Amplifier Dimensions : 3.25”(W) x 1.5”(H) x 2”(L)

www.PyleAudio.com

PDMT28 Pyle Digital Backlit LCD Multimeter, AC, DC, Volt, Current, Resistance, Transistor, Range with Protective Rubber Case

- Digital LCD display
- Measures AC Voltage range of 200V ~ 600V with overload protection of 600V rms
- Measures DC Voltage range of 200mV ~ 600V with overload protection of 600V
- Measures DC current range of 200µA ~ 10A with overload protection provided by 250mA/250V fuse
- Measures Resistance from 200? to 2M?
- Transistor hFE measure-ment range of 0 ~ 1000
- Indicates continuity with beep sound
- Auto Polarization
- Refreshes display every 2-3 seconds
- 9v battery supply (not included)
- Read Instructions and warnings before use

PDMT29 Digital LCD Multimeter, AC, DC, Volt, Current, Resistance, And Range W/ Rubber Case And Stand

- Digital LCD display
- Measures AC Voltage range of 40 ~ 400Hz with overload protection of 600V rms
- Measures DC Voltage range of 100µV ~ 600V with overload protection of 600V
- Measures DC current range of 0.1µV ~ 10A with overload protection provided by 250mA/250V fuse
- Measures Resistance from 0.1? to 2M?
- Transistor hFE measure-ment range of 0 ~ 1000
- Indicates continuity with beep sound
- Auto Polarization
- Refreshes display every 2-3 seconds
- 9v battery supply (not included)
- Size 5.1in (D) x 2.75in (W) x 1.3in (H)
- Read Instructions and warnings before use

PDMT38 Digital LCD AC, DC, Volt, Current, Resistance, and Range Multimeter Rubber Case, Test Leads and Stand

- Digital LCD display
- Indicates continuity with beep sound
- Auto Polarization
- 9v battery supply (not included)
- DCV 200mV ~ 1000V ±(0.5%+4)
- ACV 200mV ~ 750V ±(0.8%+3)
- DCA 200mA ~ 20A ±(1.5%+5)
- ACA 200mA ~ 20A ±(1.5%+5)
- Resistance 200O ~ 20MO ±(1.0%+5)
- Frequency 200kHz ±(1.0%+4)
- Dimensions: 7 in (L) x 3.34in (W) x 1.7in (H)
- Read Instructions and warnings before use

PLDM18 Handheld Laser Distance Meter with Backlit LCD Display, Direct / Indirect, Volume, Area Measuring

- Measuring range: 130 ft
- Accuracy: +/- 0.06 inch
- Laser class: Class II
- Extra Bright Back-lit LCD display, Take Readings From Any Angle In Any Light Indirect Measuring W/ Pythagorean Mode
- Addition/subtraction mode
- Continuous measuring
- Reference level option lets you mea-sure from the front or back of the unit
- Auto-shutoff after 3 minutes of inactivity
- Back-lit LCD display for easy reading in the dark, meters/inches/ feet/feet inches selectable
- IP54 rated for dust and splash proof.
- 5.1in x 2.16in x 1.1in - 1-Year Warranty

PLDM22 Handheld Laser Distance Meter with Backlit LCD Display, Direct / Indi-rect, Volume, Area Measuring

- Measuring range: 195 ft
- Accuracy: +/- 0.06 inch
- Laser class: Class II
- Extra Bright Back-lit LCD display, Take Readings From Any Angle In Any Light
- Indirect Measuring W/ Pythagorean Mode
- Addition/subtraction mode
- Continuous measuring
- Reference level option lets you measure from the front or back of the unit
- Auto-shutoff after 3 minutes of inactivity
- Back-lit LCD display for easy reading in the dark, meters/inches/ feet/feet inches selectable
- IP54 rated for dust and splash proof.
- 5.1in x 2.16in x 1.1in - 1-Year Warranty

PLMT12 Pyle Handheld Lux Light Meter Photome-ter W/ 20,000 Lux range, 2x Per Second Sampling, and Digital Display

- Measurement range up to 20,000 LUX
- Reading hold function
- Adjustable range for quick easy readings
- Accuracy max ±3%
- Repeatability: ±2%
- Sampling rate: 2 times/sec
- 9V battery operated (not included)

PLMT15 Handheld Lux Light Meter Photometer with 2X Per Second Sampling, LCD display & 200,000 Lux Range

- Measurement range from 200-200,000 LUX
- Reading hold function
- Adjustable range for quick easy readings
- Accuracy max ±3%
- Repeatability: ±2%
- Sampling rate: 2 times/sec
- 5.2in (L) x 2.68in (W) x 1.02in (H)
- 9V battery operated (not included)

PLMT21 Pyle Handheld Lux Light Meter Photometer W/ 20,000 Lux range, 2x Per Second Sampling, and Digital Display

- Measurement range up to 20,000 LUX
- Reading hold function
- Adjustable range for quick easy readings
- Accuracy max ±4%
- Repeatability: ±2%
- Sampling rate: 2 times/sec
- 9V battery operated (not included)

PLT26 Professional Digital Non Contact Laser Tachometer w/ LCD Display, 99,999 RPM Range, and Carrying Case

- 5 digit LCD display
- Range of 2.5 - 99,999 RPM
- Measures at a distance of up to 3.5 ft
- Resolution: 0-1000 RPM/0.1RPM; 1,000-9,999 RPM/2.5 RPM; >10,000 RPM (±0.025%+1dgt)
- Automatic Range selection
- Laser Output Power: Sampling Time: 1.0 seconds (over 60 RPM)
- Memory: Last value, Max Value, Min. Value
- Time base: Quartz crystal;
- Circuit: Exclusive one-chip LSI circuit;
- Battery: 4 X 1.5V AA (Not included)
- Case, reflection tape and manual are included

PMD24 Handheld Stud / Metal / Voltage Detector w/ Sensitivity Adjustment, Center Location, LED and Audible Alerts

- Ergonomic design and fit
- LED and audible indicators
- Locates studs, live cable, and metal objects
- Adjustable detector sensitivity
- 8.78" (L) × 3.62" (W) × 1.77" (H)
- Requires 1 x 9V battery (not included)

PMD43 Handheld Metal/Voltage Detector with LED and Sound Alert, Sensitivity Adjustment

- Hand-held metal and voltage detector with LED and audible indicator
- Locates live cables and metal objects
- Adjustable detector sensitivity
- Requires 1 x 9V battery (not included)

PST30 Digital LED Non Contact Stroboscope Tachometer with Backlit LCD Display, 19,999 RPM Range

- Large LCD display with backlight
- Digital control to adjust flash frequency
- Low power consumption
- Range: 60 ~ 19,999RPM
- Less than 1,000RPM: Coarse adjust: ±10RPM, Fine adjust: ±0.1RPM
- Greater than or equal to 1,000RPM: Coarse adjust: ±100RPM, Fine adjust: ±1RPM
- Accuracy: ±0.05%
- Resolution: 7.68in x 2.87in x 1.5in
- Battery: 4x1.5V AA battery

PST43 Precision Non-Contact Laser Tachometer W/ Extended RPM Range, Digital LCD Screen, & Protective Case

- 5 Digit LCD Display
- Range Of 2.5 - 99,999 RPM
- Measures At A Distance Of Up To 3.5 ft
- Resolution: 0-1000 RPM/0.1RPM; 1,000-9,999 RPM/2.5 RPM; >10,000 RPM
- (±0.025%+1dgt)
- Automatic Range Selection
- Laser Output Power: Sampling Time: 1.0 Seconds (over 60 RPM)
- Memory: Last Value, Max Value, Min. Value
- Circuit: Exclusive One-Chip LSI Circuit;
- Battery: 4 X 1.5V AA (Not Included)
- Case, Reflection Tape, manual Included

PTV17 Voltage Detector w/ LED And Sound Alert, 90 ~ 1000V AC, IP54 and IEX1010 Rated

- Meets IP54 and IEC1010 standards
- Test voltage range: 90V ~ 1000V AC
- Never test above 1000V AC
- 2 x AAA battery powered (not included)
- 6 hours continuous use
- LED and sound Alert

PLTM20 2 in 1 LAN Tester and Multimeter with Voltage, Current, Resistance, Continuity, and Diode Tester

- Tests Pin Configuration for 10 Base-T, 10 Base-2, RJ45/ RJ11, 356A, TIA-569A/568B and Token Ring Cable
- Remotely Test Cables Up to 330 Yards Away
- Test Ground Wire
- Measure DC/AC Voltage, DC/AC Current, Resistance, Continuity, and Diode
- DC Voltage: Max Range 600 V, Accuracy +/- 0.5%
- AC Voltage: Max Range 600 V, Accuracy +/- 1.2%
- DC Current: Max Range 200 mA, Accuracy +/- 1.2%
- AC Current: Max Range 200 mA, Accuracy +/- 2.0%
- Resistance: Max Range 20 MΩ, Accuracy +/- 0.8%
- Continuity Test: Beeps If Less Than 100 Ω
- Accessories Included: Test Leads, LANtest Remote Terminator, 9V Battery, Carrying Case
- Dimensions: 6.38" H x 2.93" W x 1.73" D

PMA85 Digital Anemometer - Measures Wind &Temperature

- MeasureAir Velocity & Temperature
- Max/Average/Current Air Velocity Measurement
- Wind Speed In MPH, Ft/Min, Km/H, M/ Sec, or Knots (Accuracy: +/- 5%)
- Wind Speed In Beaufort Wind Scale With Bar Graph
- Wind Chill DisplayTemperature Display °C/°F (Accuracy +/- 2%)
- LCD Backlight - Low Battery Indicator
- Auto Power OFF
- Dimensions: 1.57" x 0.707" x 4.127"

PVTC Step Up / Step Down - Voltage Converters / Transformers

PVTC320U

PVTC2020U

PVTC5000U

Model	Maximum Rating
PVTC120U	100 Watt
PVTC300U	300 Watt
PVTC320U	500 Watt
PVTC1000U	1000 Watt
PVTC2020U	2000 Watt
PVTC3000U	3000 Watt
PVTC5000U	5000 Watt

*Includes European Power Adaptor

Going abroad ? Plan on using your computer, cell phone, hair dryer, other gadget or appliance? The PVTC series step up/down voltage transformers offer you a safe, dependable, cost-effective and easy solution to converting voltages from 110-120 volts up to 220-240 volts or from 220-240 volts down to 110-120 volts for both home use and commercial applications. The PVTC series come available with efficient and high-power handling ratings, heavy-duty power cord, standard US 3-prong plug, and an American to European outlet adaptor. Additional features include 5V standard USB jack for easy charging smaller devices, ability for outputs to be used simultaneously & continuously and fuse protection. Visit pyleaudio.com and search the model number to learn more!

PVAR2000 2000 Watt Step Up and Step Down Voltage Converter Transformer - AC 110/220V

- Converts 110/120 V to 220/240V OR Converts 220/240V to 110/120 V
- On/Off switch with indicator lam
- Analog voltage meter
- Integrated automatic protection circuit
- Easy to carry with attached handled
- Dimensions: 8"H X 14"L X 13"W
- Product Weight: 26 Lbs

PVAR5000 5000 Watt Step Up and Step Down Voltage Converter Transformer - AC 110/220V

- Converts 110/120V to 220/240V OR converts 220/240V to 110/120V
- 5 outlets located on front (outlets accept 3 or 2 prong US plugs and 2 prong Euro/Asian plugs)
- Voltage Converter/Transformer with Stabilizer, good for countries with unstable voltage supply
- Heavy duty metal casing and durable design, Easy to carry with attached handle
- On/Off switch with indicator lamp
- Dimensions: 14.76"H x 15.55"L x 10.43"W

PVKT130 Step Up and Step Down Voltage Converter Transformer Kit - Worldwide Travel / Foreign Adapters 100 W / 110-240V

- Use your appliances worldwide
- Lets you use U.S. 110/120 - Volt appliances in 220/240 - Volt outlets
- Allows your electronic devices to be plugged into outlets in other countries
- (1) Dual-watt converter with 6 adapter plugs
- Adapters are compatible in over 150 countries worldwide
- Includes travel case with color-coded map to show each adaptor's compatibility locations
- Perfect for vacations, business trips, traveling, etc.

For more detailed specifications, product-specific information and models visit

PyleAudio.com

PYLE®